ANALYTICA CHIMICA ACTA, VOL. 274 (1993)

AUTHOR INDEX

Abe, S.
—, Sone, T., Fujii, K. and Endo, M.
Liquid–liquid extraction of transition metal ions with macrocyclic Schiff bases containing phenol or thiophene subunits 141
Alder, J.F., see Thomas, C.L.P. 171, 179
Allegri, G., see Sturaro, A. 163
Alves, J.L.
— and Ditzler, M.A.
A study of the effect of chain length on nearest neighbour interactions of immobilized species 361
Andreae, M.O., see Cai, Y. 243

Barnes, D.E.
—, Taylor, M.J.C., Marshall, G.D. and Van Staden, J.F.
Extraction of dicyanoaurate(I) using supported liquid membranes in a flow-injection manifold: evaluation of extractants 283
Battiston, G., see Sturaro, A. 163
Bergveld, P., see Luo, J. 7
Bier, F.F., see Jockers, R. 185
Boelens, H.F.M., see Van den Bogaert, B. 71, 87
Borzitsky, J.A.
—, Dvinin, A.V., Petrukhin, O.M. and Urusov, Yu.I.
Segmental flow injection with ion-selective electrodes for the determination of fluoride in water 125
Bos, M., see Luo, J. 7
Bosch, E., see Rosés, M. 147
Brown, R.B., see Liu, D. 37

Cai, Y.
—, Rapsomanikis, S. and Andreae, M.O.
Determination of butyltin compounds in sediment using gas chromatography–atomic absorption spectrometry: comparison of sodium tetrahydroborate and sodium tetraethylborate derivatization methods 243
Carlsen, M.
—, Christensen, L.H. and Nielsen, J.
Flow-injection analysis for the measurement of penicillin V in fermentation media 117
Christensen, L.H., see Carlsen, M. 117
Christie, I.M.
—, Vadgama, P. and Lloyd, S.
Modification of electrode surfaces with oxidised phenols to confer selectivity to amperometric biosensors for glucose determination 191
Colin, J.P., see Cristante, M. 303
Cristante, M.
—, Selves, J.-L., Grassy, G. and Colin, J.P.
Structure–activity relationship study on paraffin inhibitors for crude oils (INIPAR model II) 303

Degn, H.
— and Frigaard, N.-U.
Membrane inlet manometry for the measurement of water activity in aqueous and organic solutions 355
De la Guardia, M., see Gallignani, M. 267
Ditzler, M.A., see Alves, J.L. 361
Doretti, L., see Sturaro, A. 163
Dvinin, A.V., see Borzitsky, J.A. 125

Endo, M., see Abe, S. 141

Fernández-Romero, J.M.
—, Luque de Castro, M.D. and Valcárcel, M.
Approaches to the development of spectrophotometric reaction-rate methods by use of immobilized enzymes in continuous-flow systems 99
Fielden, P.R., see Thomas, C.L.P. 179
Förster, E.
—, Silva, M., Otto, M. and Pérez-Bendito, D.
Enzymatic determination of alcohol mixtures at the nanogram level by the stopped-flow technique 109
Franek, M.
— and Krivan, V.
Determination of sub-ng g^{-1} concentrations of thorium and uranium in microelectronic materials by radiochemical neutron activation analysis 317
Frigaard, N.-U., see Degn, H. 355
Fujii, K., see Abe, S. 141
Fujiwara, M.
—, Matsushita, T., Kobayashi, T., Yamashoji, Y. and Tanaka, M.
Preparation of an anion-exchange resin with quaternary phosphonium chloride and its adsorption behaviour for noble metal ions 293

Gabor, G., see Walt, D.R. 47
Gallignani, M.
—, Garrigues, S. and De la Guardia, M.
Direct determination of benzene in gasoline by flow-injection Fourier transform infrared spectrometry 267

Garcia Mateo, J.V.
— and Martínez Calatayud, J.
Entrapped copper(II) carbonate for indirect determination of glycine by flow injection atomic absorption spectrometry 275
Garrigues, S., see Gallignani, M. 267
Goldberg, H.D., see Liu, D. 37
Goyet, C., see Walt, D.R. 47
Grassy, G., see Cristante, M. 303
Guan, J.S., see Yang, X.J. 237

Islam, M.A., see Stephen, W.I. 335, 347
Iwamoto, E.
—, Shimazu, H., Yokota, K. and Kumamaru, T.
Atomization of tin in saline water media in graphite furnace atomic absorption spectrometry with a tungsten-coated tube using palladium as a chemical modifier 231

Jiménez de Blas, O., see Rodríguez Martín, V. 367
Jin, W., see Qu, L. 65
Jockers, R.
—, Bier, F.F., Schmid, R.D., Wachtveitl, J. and Oesterhelt, D.
Herbicide biosensor based on photobleaching of the reaction centre of *Rhodobacter sphaeroides* 185
Johansson, K.
—, Örnemark, U. and Olin, Å.
Solid-phase extraction procedure for the determination of selenium by capillary gas chromatography 129

Kamo, N., see Kurosawa, S. 209
Katsu, T., see Watanabe, K. 59
Katsura, T., see Mizutani, F. 201
Kitajima, H., see Kurosawa, S. 209
Kobayashi, T., see Fujiwara, M. 293
Krähenbühl, U., see Langenauer, M. 253
Krivan, V., see Franek, M. 317
Krivan, V., see Wildhagen, D. 257
Kulys, J.
—, Wang, L. and Maksimoviene, A.
L-Lactate oxidase electrode based on methylene green and carbon paste 53
Kumamaru, T., see Iwamoto, E. 231
Kuroda, Y., see Michigami, Y. 299
Kurosawa, S.
—, Kitajima, H., Ogawa, Y., Muratsugu, M., Nemoto, E. and Kamo, N.
Resonant frequency of a piezoelectric quartz crystal in contact with solutions 209

Langenauer, M.
—, Krähenbühl, U. and Wyttenbach, A.
Determination of fluorine and iodine in biological materials 253
Leech, D.
— and Rechnitz, G.A.
Crayfish walking leg neuronal biosensor for the detection of pyrazinamide and selected local anesthetics 25
Liu, D.
—, Meyerhoff, M.E., Goldberg, H.D. and Brown, R.B.
Potentiometric ion- and bioselective electrodes based on asymmetric polyurethane membranes 37
Lloyd, S., see Christie, I.M. 191
Lu, J., see Wang, J. 219
Luo, J.
—, Olthuis, W., Bergveld, P., Bos, M. and Van der Linden, W.E.
Modelling of coulometric sensor–actuator systems based on ISFETs with a porous actuator covering the gate 7
Luque de Castro, M.D., see Fernández-Romero, J.M. 99
Lyle, S.J.
— and Yassin, S.S.
Polarographic studies of metal ion complexes of Ampicillin and Amoxycillin 225

Maksimoviene, A., see Kulys, J. 53
Marshall, G.D., see Barnes, D.E. 283
Martínez Calatayud, J., see Garcia Mateo, J.V. 275
Matsushita, T., see Fujiwara, M. 293
Meyerhoff, M.E., see Liu, D. 37
Michigami, Y.
—, Kuroda, Y., Ueda, K. and Yamamoto, Y.
Determination of urinary fluoride by ion chromatography 299
Mizutani, F.
—, Yabuki, S. and Katsura, T.
Amperometric enzyme electrode with fast response to glucose using a layer of lipid-modified glucose oxidase and Nafion anionic polymer 201
Muratsugu, M., see Kurosawa, S. 209

Nemoto, E., see Kurosawa, S. 209
Nielsen, J., see Carlsen, M. 117

Oesterhelt, D., see Jockers, R. 185
Ogawa, Y., see Kurosawa, S. 209
Okada, K., see Watanabe, K. 59
Olin, Å., see Johansson, K. 129
Olthuis, W., see Luo, J. 7
Örnemark, U., see Johansson, K. 129
Otto, M., see Förster, E. 109

Parvoli, G., see Sturaro, A. 163
Pérez-Bendito, D., see Förster, E. 109
Petrukhin, O.M., see Borzitsky, J.A. 125
Przybylko, A.R.M., see Thomas, C.L.P. 179

Qu, L.
— and Jin, W.
Adsorption voltammetry of the gallium–morin system 65

Rapsomanikis, S., see Cai, Y. 243
Rechnitz, G.A., see Leech, D. 25
Rodríguez Martín, V.
— and Jiménez de Blas, O.

Numerical treatment of titrations with the formation of a reasonably stable complex: titration of thiocyanate with Hg(II) 367
Rosés, M.
— and Bosch, E.
Linear solvation energy relationships in reversed-phase liquid chromatography. Prediction of retention from a single solvent and a single solute parameter 147

Saito, M.
Influence of operating parameters on ion intensity in glow discharge mass spectrometry 327
Schmid, R.D., see Jockers, R. 185
Selves, J.-L., see Cristante, M. 303
Shimazu, H., see Iwamoto, E. 231
Silva, M., see Förster, E. 109
Smit, H.C., see Van den Bogaert, B. 71, 87
Snook, R.D., see Thomas, C.L.P. 179
Sone, T., see Abe, S. 141
Stephen, W.I.
— and Islam, M.A.
3,5,6-Trisubstituted 1,2,4-triazines as analytical reagents. Part I. Compounds containing the ferroin functional group or iron(II)–methine chromophore 335
— and Islam, M.A.
3,5,6-Trisubstituted 1,2,4-triazines as analytical reagents. Part II. Compounds containing the cuproine functional group 347
Sturaro, A.
—, Parvoli, G., Doretti, L., Zanchetta, S., Allegri, G. and Battiston, G.
Simultaneous determination of trace metals in human hair by dynamic ion-exchange chromatography 163

Tanaka, M., see Fujiwara, M. 293
Taylor, M.J.C., see Barnes, D.E. 283
Thomas, C.L.P.
— and Alder, J.F.
Effect of relative humidity on the performance of a platinum–lead denuder for the adsorption of nitrobenzene 171
—, Alder, J.F., Fielden, P.R., Przybylko, A.R.M., Snook, R.D. and Watson, A.F.R.
Precision humidifier for dynamic test atmosphere generators 179
Tian, B., see Wang, J. 1

Ueda, K., see Michigami, Y. 299
Urusov, Yu.I., see Borzitsky, J.A. 125

Vadgama, P., see Christie, I.M. 191
Valcárcel, M., see Fernández-Romero, J.M. 99
Van den Bogaert, B.
—, Boelens, H.F.M. and Smit, H.C.
Evaluation and correction of signal model errors in a matched filter for the quantification of chromatographic data 71
—, Boelens, H.F.M. and Smit, H.C.
Quantification of chromatographic data using a matched filter: robustness towards noise model errors 87
Van der Linden, W.E., see Luo, J. 7
Van Staden, J.F., see Barnes, D.E. 283

Wachtveitl, J., see Jockers, R. 185
Walt, D.R.
—, Gabor, G. and Goyet, C.
Multiple-indicator fiber-optic sensor for high-resolution pCO_2 sea water measurements 47
Wang, J.
— and Lu, J.
Ultratrace measurements of selenium by cathodic stripping voltammetry in the presence of rhodium 219
— and Tian, B.
Screen-printed electrodes for stripping measurements of trace mercury 1
Wang, L., see Kulys, J. 53
Watanabe, K.
—, Okada, K. and Katsu, T.
Determination of methamphetamine in urine in situ using a methamphetamine-sensitive membrane electrode 59
Watson, A.F.R., see Thomas, C.L.P. 179
Wildhagen, D.
— and Krivan, V.
Determination of platinum in environmental and geological samples by radiochemical neutron activation analysis 257
Wyttenbach, A., see Langenauer, M. 253

Yabuki, S., see Mizutani, F. 201
Yamamoto, Y., see Michigami, Y. 299
Yamashoji, Y., see Fujiwara, M. 293
Yang, X.J.
— and Guan, J.S.
Application of inductively coupled plasma atomic emission spectrometry for the certificate analysis of uranium certified reference material: determination of trace impurity elements in U_3O_8 by extraction chromatography 237
Yassin, S.S., see Lyle, S.J. 225
Yokota, K., see Iwamoto, E. 231

Zanchetta, S., see Sturaro, A. 163